

T 8 N

R 2 E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N. VII North of the Base Line, Range N. II East of 2nd Meridian. Surveyed by Arthur Henrie. 1835.
James Hedges. 1819.

Description of the Soil on the interior Sectional lines.

| Between Sections | Quality &c. | Between Sections | Between Sections | Between Sections | |
|---------------------|---|---------------------|---------------------------------------|---------------------|--|
| 35.30 | Sand Silty - Timber Oak & Hickory | 15.16 | Sand Silty - covered with briars - | 17.18 | Sand rolling thin Soil - Timber Same |
| 25.30 | ditto | 10.15 | ditto | 8.14 | ditto |
| 25.26 | ditto | 9.10 | ditto | 7.5 | ditto |
| 24.25 | ditto | 3.10 | ditto | 5.8 | ditto |
| 23.24 | Sand Silty & high hills. thin Soil. Maple Hazel & Oak | 32.33 | ditto | 5.6 | ditto |
| 13.24 | ditto | 28.33 | ditto | 6.7 | ditto |
| 13.14 | ditto | 28.30 | ditto | 17.18 | ditto |
| 14.35 | ditto | 21.25 | ditto | 30.31 | ditto |
| 26.35 | ditto | 20.21 | ditto | 11.14 | Silty & poor. Timber M. Oak. L. Oak. Hickory &c. |
| 26.27 | ditto | 16.21 | ditto | 12.13 | Same |
| 23.26 | ditto | 16.17 | ditto | 11.12 | Same |
| 22.25 | Very Mountainous and bushy | 9.16 | ditto | 1.12 | Same |
| 14.23 | ditto | 8.9 | ditto | 2.11 | Same |
| 14.15 | ditto | 4.9 | ditto | 2.3 | Same |
| 10.11 | ditto | 4.5 | ditto | 3.4 | Same |
| 23.34 | ditto | 31.32 | ditto | | |
| 27.34 | ditto | 29.32 | ditto | | |
| 27.28 | ditto | 29.30 | Sand rolling thin Soil - Timber. Same | | |
| 22.27 | ditto | 29.30 | ditto | | |
| 21.22 | ditto | 19.20 | ditto | | |
| 15.22 | ditto | 17.20 | ditto | | |

Township N. 8 North, Range N. 2 East 2nd Mer.

| Range line - Var. | | |
|---|---|--|
| From the corner of Sec. 1 & 2 Ranges 2 & 3 East | | |
| North | On the South Side of Sec. 36 | |
| 1.50 | A. Brook 12 lbs West | |
| 30.25 | A. Hickory 16 in. diam. | |
| 40.00 | gr. Sec. corner Beech 11 S 15 E 6' Sand brook West | |
| | W. Oak 36 S 15 W 23' Beech Maple 8' | |
| 48.50 | A. Beech 150 lbs West | |
| 80.00 | corner of Sec. 25 & 36 | |
| | Beech 12 S 15 W 10' } Billy W. Oak Lamb | |
| | Maple 4 S 18 E 11' | |
| North | On the South Side of Sec. 25 | |
| 26.50 | A. Spring run 5 lbs East | |
| 40.00 | gr. Sec. corner B. Oak 24 S 50 W 25' } Billy W. Oak | |
| | W. Oak 12 S 45 E 21' } Lamb | |
| 75.25 | A. Hickory 12 in. diam. | |
| 80.00 | corner of Sec. 24 & 25 | |
| | B. Oak 24 S 45 W 12' } Lamb the same | |
| | Hickory 10 S 50 E 6' | |
| North | On the South Side of Sec. 24 | |
| 40.00 | gr. Sec. corner W. Oak 10 S 25 E 28' | |
| | Poplar 12 S 15 W 26' | |
| 57.00 | A. W. Oak 16 in. diam. | |
| 63.00 | To Boundary line - Gum 6 S 50 W 29' | |
| | B. Oak 13 S 42 E 59' | |
| | Peer Billy Oak Lamb | |
| | A. Holmes. D.S. | |
| E. Boundary Continued N. of old Ind. boundary. | | |
| North | On E. side of Sec. 24. from old Ind. boundary. | |
| 17.00 | Set post on to Sec 13 & 24. | |
| | W. Oak 12. N. 1 E 25 W 10' | |
| | Alum 5. N. 88 W 50 . . | |
| North | On E. side of Sec 13. | |
| 14.50 | An Oak 24 in. dia. | |
| 40.00 | Set post. Alum 10. N 30 E 20' + | |
| | A. R. Oak 24. S 2 W 60. | |
| 51.07 | A. B. Oak 24 in. dia. | |
| 54.75 | A. Brook 10 lbs. wide. S. 80 E. | |
| 80.00 | Set post cor. to sec. 7 & 18, & 12 & 13. | |
| | A. C. Oak 24. N. 45 W 11 lbs + | |
| | a 50 20. S. 12 E 25 . . | |
| North | On E. side of Sec. 12. | |
| 10.50 | A. Brook 10 lbs wide. S. 30 E. | |
| 40.00 | Set post. A. poplar 12. N 85 E 90' | |
| | a C. Oak 16. N 89 W 15. | |
| 68.20 | A. C. Oak 10 in. dia. | |
| 80.00 | Set post cor. to 1 & 12. | |
| | A. B. Oak 14. S. 25 W. 37' + | |
| | a C. " 16. N 57 E 27'. | |
| | Sand Hilley & poor. | |
| North | On E. side of Sec. 1. | |
| 26.33 | A. R. Oak 30. | |
| 28.00 | A. Brook 10. lbs. N 80 W. | |
| 40.00 | Set post. W. Oak 16. S 38 W 12' + | |
| | W. " 20. N 76 E 11. | |
| 55.00 | A. Brook 12 lbs. wide N. 60 W. | |
| 58.53 | A. R. Oak 12 in. dia. | |
| 82.50 | A. Brook 12 lbs wide. N. 80 W. | |
| 94.25 | To Town line 18.35 lbs E. of post | |
| | Cor. to Town 9 N. R. 2 & 3 E. | |
| | Set post at intersection. | |
| | A. B. Oak 5. N. 14 E. 25 lbs + | |
| | W. " 3. S. 23 W 15 . . | |
| | Sand Hilley & poor. Oak. Hickory. | |
| | Lo. Hedge. D.S. | |

Township Lines

| | | |
|---|--|--|
| From the corner of Sec. 1 & 2 Ranges 2 & 3 East | | |
| West | On the South Side of Sec. 36 | |
| 12.00 | A. W. Oak 20 in. diam. | |
| 40.00 | gr. Sec. corner B. Oak 10 S 20 W 8' | |
| | do 7 S 12 E 16' | |
| 53.50 | A. Brook 15 lbs N. W. | |
| 59.50 | A. Beech 14 in. diam. | |
| 80.00 | Set corner to Sec. 35 & 36 W. Oak 20 S 42 E 16' | |
| | Beech 8 S 40 E 27' | |
| | Sand poor & Hilley. Oak. Beech 12' | |
| West | On the South Side of Sec. 35 | |
| 20.00 | A. Beech 100 lbs S. W. | |
| 40.00 | gr. Sec. corner Hickory 15 S 31 W 20' | |
| | Poplar 36 S 20 E 30' | |
| 53.00 | A. Brook 15 lbs S. W. | |
| 62.50 | A. W. Oak 10 in. diam. | |
| 80.00 | Set corner to Sec. 34 & 35 B. Oak 24 S 40 E 25' | |
| | Beech 8 S 44 W 14' | |
| | Peer Hilley Oak & Beech Lamb March 27 th 1811 | |
| West | On the South of Sec. 34 | |
| 8.00 | A. W. Oak 10 in. diam. | |
| 40.00 | gr. Sec. corner Beech 18 S 25 W 31' | |
| | Maple 14 S 34 E 50' | |
| 69.00 | A. Butternut 16 in. diam. | |
| 70.00 | A. Brook 30 lbs S. W. | |
| 80.00 | Set corner to Sec. 33 & 34. Sugar 16 S 45 E 5' | |
| | Gum 15 S 45 W 25' | |
| | Sand & Timber same | |
| West | On the South Side of Sec. 33 | |
| 10.00 | A. Hickory 16 in. diam. | |
| 37.50 | A. Brook 25 lbs S. W. | |
| 40.00 | gr. Sec. corner Sugar 14 S 21 W 14' | |
| | B. Oak 10 S 30 W 10' | |
| 77.50 | A. Beech 18 in. diam. | |
| 80.00 | Set corner to Sec. 32 & 33 | |
| | Sugar 10 S 43 E 27' | |
| | Beech 11 S 27 E 29' | |
| | Sand & Timber as before of good quality | |
| West | On the South Side of Sec. 32 | |
| 19.00 | A. B. Oak 34 in. diam. | |
| 32.00 | A. Beech 150 lbs S. W. | |
| 40.00 | gr. Sec. corner Beech 10 S 33 E 24' | |
| | do 14 S 55 W 41' | |
| 55.00 | A. Beech 150 lbs S. E. | |
| 80.00 | Set corner to Sec. 31 & 32 | |
| | Maple 16 S 58 E 17' | |
| | Water Beech & Hawthorn | |
| | Sand & Timber as above | |
| West | On the South Side of Sec. 31 | |
| 5.00 | A. W. Oak 6 in. diam. | |
| 40.00 | gr. Sec. corner Beech 18 S 4 E 21' | |
| | do 13 S 31 W 20' | |
| 60.00 | Corner to Town 7 & 8 Ranges 1 & 2 East | |
| | W. Oak 15 S 35 E 22' | |
| | Hickory 16 S 2 W 28' | |
| | Peer Hilley Oak Lamb | |
| | Surveyed by A. D. Holmes D.S. | |
| for North boundary see | | |
| 5 lines of S. G. N. 2 E. | | |
| page 294 | | |
| North line E. boundary of S. 8. | | |
| R. 1 E. page 42. | | |

Subdivisions of Township 8 N Range 2 E

North Between Sec^s 35 & 36
40.00 gr. Sec. corner Beech 4 S 2 E 7
Jun 6 West 17
72.00 A. Brook 75 lbs S. W
74.00 A. Brook 20 lbs S. E
80.00 Set post corner to Sec^s 25, 26, 35, 36
Blue 12 S 42 E 22
do 30 S 60 W 28
Sand Hilly, Timber Oak & Hickory

East Between Sec^s 25 & 36 On Random
00.50 A. Brook 20 lbs S. E
2.00 A. Brook 80 lbs North
16.50 Same South
40.00 Temporary gr. Sec. post
79.17 Intersected N & S line 130 lbs S. of corner
Sand the same

West Corrected
39.58 1/2 gr. Sec. corner Beech 4 S 60 W 14
Blue 10 S 25 W 21
79.17 Section corner

North Between Sec^s 25 & 26
00.17 A. Brook 35 lbs S. E
17.00 A. Brook 35 lbs S. E
35.50 A. Brook 35 lbs East
40.00 gr. Sec. corner Beech 8 S 41 E 24
Blue 8 S 10 W 7
60.50 A. Brook 35 lbs S. E
63.50 A. Brook 35 lbs S. W
80.00 Set post corner of Sec^s 23, 24, 25, 26
Blue 15 S 81 W 26
do 6 S 21 W 40
Sand the same

East Between Sec^s 24 & 25 On Random
5.00 A. Brook 20 lbs South
10.00 Temporary gr. Sec. post
79.96 Intersected N & S line 66 lbs S. of corner
Sand the same

West Corrected
39.98 gr. Sec. corner Beech 10 S 8 W 16
do 5 S 21 W 24
79.96 Section corner

North Between Sec^s 23 & 24
40.00 gr. Sec. corner Beech 8 S 32 E 11
Jun 8 S 73 W 5
50.00 A. Brook 15 lbs S. E
80.00 Set post corner to Sec^s 13, 14, 23, 24
W. Oak 6 S 50 E 14
B. Oak 6 S 41 E 4
Sand Hilly & high hills thin soil 1 mi 7th
Maple & Oak

East Between Sec^s 13 & 24
10.00 gr. Sec. corner Chs. Oak 10 S 65 E 15
do 12 S 43 W 5
57.00 Set post on Boundary Jun 7 S 37 W 25
do 4 S 75 W 30
Sand the same

North Between Sec^s 13 & 14
8.00 A. Brook 15 lbs S. E
40.00 gr. Sec. corner B. Oak 8 S 57 E 6
do 10 S 73 W 7
40.19 Set post on Boundary B. Oak 12 S 61 E 15
do 8 S 14 E 24
Sand the same

North Between Sec^s 34 & 35
40.00 gr. Sec. corner W. Oak 10 S 20 E 25
do 12 S 2 W 2

80.00 Set post corner of Sec^s 26, 27, 34, 35
Beech 12 S 40 W 47
do 12 S 86 E 62
Sand Hilly thin soil Timber Oak & Hickory

East Between Sec^s 26 & 35 On Random
40.00 Temporary gr. Sec. post
80.70 Intersected N & S line 20 lbs S. of corner
Sand the same

West Corrected
40.35 gr. Sec. corner W. Oak 12 S 1 E 14
B. Oak 2 S 65 W 31
80.70 Section corner

North Between Sec^s 26 & 27
40.00 gr. Sec. corner B. Oak 20 S 64 E 16
do 12 S 47 E 23
80.00 Set post corner of Sec^s 22, 23, 26, 27
Beech 20 South 17
Sand the same

East Between Sec^s 23 & 26 On Random
40.00 Temporary gr. Sec. post
80.50 Intersected N & S line 150 lbs S. of corner
Sand the same

West Corrected
40.25 gr. Sec. corner Jun 18 S 2 E 27
Sigs 10 S 74 E 14
80.50 Section corner

North Between Sec^s 22 & 23
40.00 gr. Sec. corner Jun 18 S 41 E 17
W. Oak 12 S 7 E 31
80.00 Set post corner of Sec^s 14, 15, 22, 23
Beech 20 S 80 W 34
W. Oak 14 South 30
Sand the same very mountainous & brushy

East Between Sec^s 14 & 23 On Random
25.00 A. Brook 16 lbs S. E
40.00 Temporary gr. Sec. post
71.50 A. Brook 20 lbs S. E
80.44 Intersected N & S line 30 lbs S. of corner
Sand the same

West Corrected
40.22 gr. Sec. corner B. Oak 10 S 7 E 33
do 8 S 73 W 38
80.44 Section corner

North Between Sec^s 14 & 15
40.00 gr. Sec. post
80.00 Set post corner of Sec^s 10, 11, 14, 15
Jun 12 S 40 W 25
Dogwood 5 S 34 E 13
very high hills, very brushy, Oak, Hickory, Poplar

North Between Sec^s 10 & 11
23.50 Set post on Boundary, B. Oak 30 S 38 E 8
Dogwood 6 S 30 W 12
Sand the same

East Between Sec^s 11 & 14
31.00 To the Boundary

North Between Sec^s 33 & 34
40.00 gr. Sec. corner Dogwood 3 S 59 W 10
Hemlock 5 S 44 E 18
80.00 Set post corner of Sec^s 27, 28, 33, 34
W. Oak 15 S 70 E 9
do 10 S 25 E 16
Sand Hilly & brushy

East Between Sec^s 27 & 34 On Random
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 10 lbs S. of corner
Sand the same

West Corrected Between Secs 27 & 34
40.00 gr. Sec. corner B. Oak 8 ft 36 W 4
W. Oak 5 ft 32 E 18
80.00 Section corner
North Between Secs 27 & 28
40.00 gr. Sec. corner Maple 6 ft 21 E 17
Beech 12 ft 88 W 30
80.00 Set post corner of Secs 21, 22, 27, 28
Ironwood 5 ft 85 W 11
Sugar 15 ft 1 E 28
Land the same
East Between Secs 22 & 27 on Random
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 12 ft S of corner
Land the same
West Corrected
40.00 gr. Sec. corner Hickory 8 ft 80 E 42
do 8 ft 80 W 28
80.00 Section corner
North Between Secs 21 & 22
40.00 gr. Sec. corner W. Oak 8 ft 27 W 5
Beech 8 ft 39 W 5
80.00 Set post corner of Secs 15, 16, 21, 22
Sugar 10 ft 43 E 12
Poplar 30 ft 5 E 11
Land the same
East Between Secs 15 & 22 on Random
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 8 ft S of corner
Land the same
West Corrected
40.00 gr. Sec. corner B. Oak 20 ft 29 W 16
W. Oak 10 ft 79 W 19
80.00 Section corner

North Between Secs 15 & 16
29.50 H. Poplar 20 in. diam.
40.00 gr. Sec. corner B. Walnut 10 ft 31 W 24
Sugar 30 ft 31 E 20
80.00 Set post corner of Secs 9, 10, 15, 16
B. Oak 12 ft 14 E 25
do 16 ft 3 W 13
Land very hilly with high hills thin soil
covered with green briars & brush
East Between Secs 10 & 15 on Random
40.00 Temporary gr. Sec. corner
80.00 Intersected N & S line 18 ft S of corner
Land the same
West Corrected
40.00 gr. Sec. corner B. Oak 8 ft 28 E 12
W. Oak 4 ft 18 E 10
80.00 Section corner
North Between Secs 9 & 10
40.00 gr. Sec. corner Beech 4 ft 16 E 6
B. Oak 8 ft 32 E 24
80.00 Set post corner of Secs 3, 4, 9, 10
Sugar 8 ft 49 E 23
B. Oak - ft 6 E 10
Land the same
East Between Secs 3 & 10
4.27 Set post on Boundary W. Oak 8 ft 80 W 9
B. Oak 12 ft 46 W 12
North Between Secs 3 & 4
3.21 Set post on Boundary Hickory 8 ft 26 E 12
W. Oak 8 ft 70 E 7
Land the same
North Between Secs 32 & 33
40.00 Set gr. Sec. corner W. Oak 10 ft 12 W 6
Hickory 8 ft 20 E 11

80.00 Set post corner of Secs 28, 29, 32, 33
B. Oak 4 ft 17 W 26
do 4 ft 52 E 33
Land hilly & very hilly
East Between Secs 28 & 33 on Random
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 12 ft S of corner
Land the same
West Corrected
40.00 gr. Sec. corner Beech 30 ft S 1
80.00 Section corner
North Between Secs 28 & 29
14.50 A. Brook 20 ft S West
40.00 gr. Sec. corner Dogwood 5 ft 4 E 21
Sugar 10 ft 3 W 9
62.50 A. Brook 30 ft S W
80.00 Set post corner to Secs 20, 21, 28, 29
W. Oak 15 ft 8 W 33
do 18 ft 4 W 21
Land the same
East Between Secs 21 & 28 on Random
11.00 A. Brook 35 ft S. W
40.00 Temporary gr. Sec. post
80.00 Intersected N & S line 20 ft S of corner
Land the same
West Corrected
40.06 gr. Sec. corner Poplar 15 ft 40 W 21
Sugar 6 ft 84 E 19
80.00 Section corner
North Between Secs 20 & 21
20.00 A. Brook 10 ft S. E
40.00 gr. Sec. corner Poplar 8 ft 65 W 30
W. Oak 20 ft 1 E 27
80.00 Set post corner of Secs 17, 16, 20, 21
W. Oak 12 ft 26 E 4
Hickory 8 ft 1 W 23
Land the same

East Between Secs 16 & 21 on Random
3.00 A. Brook 6 ft S. W
40.00 Temporary gr. Sec. post
41.50 A. Brook 20 ft S. W
59.50 Same 20 North
80.00 Intersected N & S line 18 ft S of corner
Land the same
West Corrected
40.00 gr. Sec. corner Sugar 8 ft 43 W 13
Ash 8 ft 9 E 26
80.00 Section corner
North Between Secs 16 & 17
40.00 gr. Sec. corner W. Oak 18 ft 82 E 8
do 12 ft 83 W 9
80.00 Set post corner to Secs 8, 9, 16, 17
Beech 5 ft 9 E 22
do 5 ft 22 W 24
Land the same
East Between Secs 9 & 16 on Random
40.00 Temporary gr. Sec. post
79.67 Intersected N & S line 100 ft S of corner
Land the same
West Corrected
39.83 1/2 gr. Sec. corner B. Oak 25 ft 13 E 18
Beech 8 ft 60 W 17
79.67 Section corner
North Between Secs 8 & 9
40.00 gr. Sec. corner Beech 10 ft 88 E 22
do 8 ft 7 W 18
80.00 Set post corner to Secs 4, 5, 8, 9
Beech 15 ft 4 E 19
W. Oak 15 ft 32 E 32
Land the same

East Between Sec: 4 & 9 On Random
 40.00 Temporary of Sec. post
 79.70 Intersected N & S line 40 lbs. South of corner
 Land the same
 West Corrected
 39.85 of Sec. corner N. Oak 10 S 40 E 8
 No more trees
 79.40 Section corner
 North Between Sec: 4 & 5
 40.00 of Sec. corner Hickory 4 corner tree
 52.25 Set post corner to Sec: 4 & 5 on boundary line
 N. Oak 15 S 61 W 23
 do 25 S 39 E 24
 Land the same
 North Between Sec: 31 & 32
 40.00 of Sec. corner N. Oak 4 S 5 E 12
 do 8 S 33 W 15
 80.00 Set post corner of Sec: 29, 30, 31, 32
 N. Oak 18 S 39 E 25
 do - S 70 W 25
 Land very hilly thin soil
 East Between Sec: 29 & 32 On Random
 19.00 H. Brook 15 lbs S. E
 25.00 H. Brook 15 lbs. South
 40.00 Temporary of Sec. post
 80.00 Intersected N & S line 12 lbs South of corner
 Land the same
 West Corrected
 40.00 of Sec. corner Maple 5 S 67 W 4
 Beech 6 S 69 E 22
 80.00 Section corner
 North Between Sec: 29 & 30
 40.00 of Sec. corner Beech 8 S 24 E 25
 do 15 S 12 W 21
 80.00 Set post corner to Sec: 19, 20, 29, 30
 Land the same
 Rolling thin soil } Sycamore 15 S 31 E 21
 } Elm 9 S 29 E 42

East Between Sec: 20 & 29 On Random
 1.00 H. Brook 25 lbs South
 34.00 H. Brook 15 lbs S. W
 40.00 Temporary of Sec. post
 80.00 Intersected N & S line 10 lbs S. of corner
 Land Rolling thin soil
 West Corrected
 40.00 of Sec. post N. Oak 20 S 51 W 25
 Beech 8 S 66 E 15
 80.00 Sec. corner
 North Between Sec: 19 & 20
 3.50 H. Brook 12 lbs S. E
 40.00 of Sec. corner N. Oak 20 S 38 W 13
 Hickory 3 S 29 W 20
 80.00 Set post corner to Sec: 17, 18, 19, 20
 Dogwood 5 S 83 E 37
 do 42 E 32
 Land the same
 East Between Sec: 17 & 20 On Random
 40.00 Temporary of Sec. post
 61.50 H. Brook 10 lbs South
 80.00 Intersected N & S line 10 lbs South of corner
 Land the same
 West Corrected
 40.00 of Sec. corner Beech - S 39 E 14
 do 3 S 30 W 13
 80.00 Section corner
 North Between Sec: 17 & 18
 40.00 of Sec. corner Sugar 13 corner tree
 73.50 H. Poplar 20 in. diam.
 80.00 Set post corner to Sec: 4, 8, 17, 18
 Hickory 6 S 11 W 8
 Gum 5 S 85 E 4
 Land Rolling thin soil. Oak & Hickory

East Between Sec: 8 & 17 On Random
 40.00 Temporary of Sec. post
 80.18 Intersected N & S line 68 lbs S. of corner
 Land the same
 West Corrected
 40.09 of Sec. corner Beech 10 S 45 W 7
 do 5 S 15 E 14
 80.18 Section corner
 North Between Sec: 7 & 8
 40.00 of Sec. corner Beech 6 S 16 W 3
 Sugar 5 S 16 W 13
 46.50 H. Brook 15 lbs S. W
 80.00 Set post corner to Sec: 5, 6, 7, 8
 Ironwood 3 S 59 E 13
 Sugar 18 S 63 W 12
 Land the same
 East Between Sec: 5 & 8 On Random
 * 40.00 Temporary of Sec. post
 4.50 H. Brook 10 lbs West
 * 80.16 Intersected N & S line 41 lbs S. of corner
 Land the same
 West Corrected
 40.08 of Sec. corner Sugar 10 S 11 W 19
 do 25 S 25 W 30
 80.16 Section corner
 North Between Sec: 5 & 6
 6.50 H. Brook 100 lbs West
 23.00 H. N. Oak 15 in. diam.
 40.00 of Sec. corner Gum 20 S 30 W 11
 Beech 4 S 71 E 15
 77.30 Set post on the North boundary
 17, 20 lbs West of Sec. corner
 Land the same

West Between Sec: 6 & 7
 40.00 of Sec. corner Beech 10 S 5 E 17
 do 5 S 78 E 14
 60.50 H. Brook 150 lbs West
 62.80 Set post on West boundary 250 lbs S. of cor.
 Beech 8 S 44 E 7
 Sugar 4 S 63 W 8
 Land the same
 West Between Sec: 7 & 18
 40.00 of Sec. corner Maple 6 S 42 W 19
 Dogwood 6 S 43 E 24
 63.00 Set post on W. boundary 3.41 lbs S. of corner
 Sugar 15 S 79 E 20
 Hickory 15 S 70 W 19
 Land the same
 West Between Sec: 18 & 19
 40.00 of Sec. corner Dogwood 5 S 73 E 21
 Hickory 6 S 63 W 23
 62.12 Set post on W. boundary 312 lbs S. of corner
 N. Oak 10 S 48 W 27
 Beech 10 S 80 W 39
 West Between Sec: 19 & 30
 40.00 of Sec. corner Ironwood 3 corner tree
 65.25 Set post on W. boundary 176 lbs S. of corner
 Dogwood 4 S 72 E 16
 Poplar 7 S 77 E 24
 West Between Sec: 30 & 31
 40.00 of Sec. corner N. Oak 20 S 81 E 18
 do 18 S 72 W 34
 63.00 Set post on W. boundary 93 lbs S. of corner
 Elm 15 S 47 E 41
 Sugar 10 S 32 W 45
 Land the same
 Surveyed by Arthur Durie D.S.

North of Old Indian Boundary March 11th 1820 80.00 Set post corner to Sec 1. 2. 11. 12
 East Between Sec 13 & 24 Iron 8 ft. R 2 E, B. Oak 5 ft 9 in W 33
 22.00 Intersected E. Boundary of the S. of corner do 4 ft 10 in E 20
 W. Oak 15 ft 3 in W 11
 do 14 ft 5 in E 31
 North Between Sec 13 & 14 Commenced at 2 mile post
 00.19 Boundary line
 40.00 Temporary Sec. post
 Sand & timber floor. W. Oak & Hickory
 East Between Sec 11 & 14 Commenced at corner
 of Sec 10. 11. 14. 15
 40.00 Temporary of Sec. post
 77.00 Intersected E. Boundary 63 lbs S. of temporary post
 Sand & timber same
 Post at the intersection of Sec 10. 11. 12. 13. 14
 B. Oak 9 ft 3 in E 14
 W. Oak 6 ft 9 in E 34 lbs
 West
 39.50 Between Sec 11 & 14
 of Sec. post B. Oak 6 North 18
 B. Oak 5 ft 9 in W 20
 East Between Sec 12 & 13 On Random
 40.00 Temporary of Sec. post
 77.80 Intersected E. Boundary at Sec. corner
 Sand & timber floor. W. Oak & Hickory
 11 in W. Oak. Hickory & Lappas
 West Corrected
 38.90 of Sec. corner Gum 14 ft 3 in E 21
 Elm 14 ft 8 in W 88
 77.80 Section corner
 North Between Sec 11 & 12
 32.50 A. W. Oak 14 in. diam.
 40.00 of Sec. corner W. Oak 22 ft 4 in E 48
 do 14 ft 4 in W 39
 52.00 A. Brook 18 lbs S 80 W
 66.00 A. Hickory 10 in. diam.

Set post corner to Sec 1. 2. 11. 12
 B. Oak 5 ft 9 in W 33
 do 4 ft 10 in E 20
 Sand & timber floor. W. Oak & Hickory
 East Between Sec 10 & 12 On Random
 40.00 Temporary of Sec. post
 78.50 Intersected E. Boundary 10 lbs S. of corner
 Sand & timber same
 West Corrected
 39.25 of Sec. corner W. Oak 10 ft 3 in E 63
 Sugar 8 ft 4 in W 30
 78.50 Section corner March 12th 1820
 North Between Sec 1 & 2
 28.00 A. B. Oak 11 in. diam.
 40.00 of Sec. corner W. Oak 16 ft 4 in W 45
 May 6th 1820 E 40
 54.50 A. Brook 12 lbs S 80 W
 58.50 A. B. Oak 30 in. diam.
 73.50 Intersected N. Boundary 28 lbs N. of post
 W. Oak 15 ft 3 in W 22
 do 18 ft 6 in E 24
 Sand & timber same
 North Between Sec 10 & 11 Commenced at Boundary
 line
 16.50 Set of Sec. corner Hickory 5 ft 2 in E 17
 W. Oak 15 ft 2 in W 47
 26.50 A. Brook 10 lbs S 10 W
 29.85 A. Brook 12 in. diam.
 55.50 A. Brook 8 lbs S 10 -
 56.56 Set post corner to Sec 2. 3. 10. 11
 Gum 14 ft 4 in W 15
 Sugar 26 ft 3 in E 61
 Sand & timber floor. W. Oak & Hickory
 Hickory & Gum. 11 in W. Oak & Hickory
 & Lappas

East Between Sec 3 & 4 On Random
 4.27 Boundary line
 27.50 A. Brook 6 lbs S 20 W
 40.00 Temporary of Sec. post
 61.50 A. Brook 12 lbs S. E
 76.50 A. Brook 8 lbs S 10 W
 77.50 Intersected E. Boundary 150 lbs S. of corner
 Sand & timber floor. Hickory. B. Oak. Oak. Ang.
 Hickory & Hickory
 West Corrected
 38.75 of Sec. corner Blue Oak 8 ft 3 in W 25
 do 8 ft 4 in E 5
 77.50 Section corner
 East Between Sec 2 & 4 On Random
 37.00 A. Brook 12 lbs S 60 W
 40.00 Temporary of Sec. post
 78.50 Intersected E. Boundary 73 lbs S. of corner
 Sand & timber same
 West Corrected
 39.25 of Sec. corner Elm 12 ft 9 in E 19
 Sugar 16 ft 8 in W 30
 78.50 Section corner
 North Between Sec 2 & 3
 20.60 A. Sugar 8 in. diam.
 31.00 A. Brook 15 lbs S 50 W
 40.00 of Sec. corner W. Oak 12 ft 24 in E 22
 do 26 ft 3 in E 39
 56.50 A. Brook 30 lbs West
 57.60 A. W. Oak 9 in. diam.
 75.00 A. Brook 6 lbs S 10 W
 77.00 Intersected N. Boundary 27 lbs N. of corner
 W. Oak 13 ft 1 in E 10
 do 13 ft 4 in W 34
 Sand & timber same March 18th 1820
 North Between Sec 3 & 4
 3.21 Boundary line
 20.50 A. Hickory 10 in. diam.
 31.50 A. Brook 35 lbs S 80 W
 40.00 of Sec. corner Sugar 20 ft 9 in W 23
 W. Oak 11 ft 14 in W 30
 67.15 A. Hickory 8 in. diam.
 82.00 A. Brook 8 lbs S 10 W
 78.00 Intersected N. Boundary 23 lbs S. of post
 Gum 5 ft 15 in E 30
 Hickory 7 ft 9 in W 37
 Sand & timber floor. W. Oak & Hickory
 North Between Sec 4 & 5 Commenced at Boundary
 line
 4.00 A. Brook 40 lbs S 80 W
 20.25 A. W. Oak 22 in. diam.
 39.50 Intersected N. Boundary 18 lbs N. of corner
 Sugar 12 ft 15 in E 32
 B. Oak 15 ft 3 in E 15
 Sand & timber floor. W. Oak & Hickory
 Ang. Dogwood & Hickory
 Surveyed by James Hedges D. S.